

# **USS Fletcher DD-445**

美国海军"弗莱彻"号驱逐舰DD-445

#### READ BEFORE ASSEMBLY:

- This kit is not recommended for inexperienced modelers or for children under 14 years of age
- Study and understand these instructions thoroughly before beginning assembly
- When needed, remove photo-etch parts carefully using a modeling knife or photo etch sprue cutter, being careful not to damage or lose small parts.
- Take extra care in handling photo etch parts in order to avoid injury
- Apply instant cement sparingly to photo etch parts where instructed

- Tools recommended(not included in kit):Plastic and instant cements, sprue cutters, long nose pliers, modeling knife, small files, tweezers, pin vise & scissors. Soft cloth and sandpaper will also assist in construction
- Glue and paint are not included in the kit. Use plastic cement and hobby paints only. Color guide for purchasing paint is included in the kit.
- · Keep out of reach of children. They must not be allowed to ingest small parts or handle plastic bags in any way.

Please Keep instruction since it contains important information.

## 装配之前仔细阅读

- 小心用模型锉刀锉平所有零件表面的注射浇口。
- 小心用刀片切下蚀刻片零件,不要遗失小零件。
- 用强力快干胶水粘合蚀刻片零件和金属轴。过量的快 干胶水使用可能导致可动零件会粘住, 小心涂胶。
- 取蚀刻片时应特别注意安全, 防止利边划伤手指。
- 某些零件表面需贴上水贴纸,请选择在装配的同时进行。
- 推荐模型工具(自备):胶水,水口剪刀,长咀钳,刀 片,锉刀,镊子钳,钻,剪刀,瞬间快干胶。
- 软布同砂纸同时也是所需工具。
- 请使用塑料胶水和油漆,模型内不含。
- 谨防小孩吸吮塑料零件,或者将塑料袋套在头上,制 作时应将套材远离小孩接触。
- 本产品不适合14岁以下没有经验的模型爱好者。

#### 水贴纸的使用:

- 1. 从水贴纸上剪下印花;

\*说明书中含有重要信息,应保留。

- 3. 拿着印花纸板将印花移到模型上;
- 4. 手指蘸水将印花移到适当的位置;
- 5.用软布轻压印花直至水干,汽泡消失。

### DECAL APPLICATION:

- 1.Cut decals from sheet as needed
- 2.将印花放入温水中浸10秒,然后放在干净布上。2. Dip the decal in warm water for about 10 seconds and then place on soft clean cloth. 5. When placed in the proper position, gently
  - 3. Hold the decal backing sheet edge and gently slide the decal onto the model in its proper position.
- 4. While still wet, decal can be adjusted for better fit on model by dampening it gently with your finger.
- press decal down with a soft cloth until excess water and air bubbles are gone.
- 6. Allow decal to dry completely before handling model



Cyanoacrylate glue







Make hole



Cut / Remove





File / Sand





Option

不涂胶水

No cement










# 部品图

## **Parts**





《蚀刻片》 PE(A)



《蚀刻片》 PE(B)



《金属锚链》 Chain L:120

《水贴》 Decal

