



Lima November

Decals
NORWEGIAN AIRLINER DECALS

LN35-DM01
DANISH
DEFENCE
REGISTRATION
PLATES

The Danish Defence



The Royal Danish Navy



The Royal Danish Air Force



The Royal Danish Army





Danish Defence

The Danish Defence (Danish: Forsvaret) is the unified armed forces of the Kingdom of Denmark, charged with the defence of Denmark and its constituent, self-governing nations Greenland and the Faroe Islands. The Defence also promote Denmark's wider interests, support international peacekeeping efforts and provide humanitarian aid. The Danish Defence consist of the **Royal Danish Army**, the **Royal Danish Navy** and the **Royal Danish Air Force**. The Defence also include the Home Guard.

The size of the standard type registration plate is 410mm x 150mm. On the left side is the main logo of the Danish Defence or one of its branches: Army, Navy or Air Force.

It is always a good idea to consult photos of the subject you want to make a model of.

Decal application

These decals are silk screen printed. Be extremely careful, the decals are very thin and specially those long stripes will curl and break easily. The black engine stripes has a bit extra length in forward end, so they need a bit trimming.

Cut out the decal with sharp scissors. Dip the decal in water for only 5-10 seconds, remove it from the water and let it sit for about a minute. Extending the soaking time will wash off more adhesive, prevent the decal from adhering properly and increase the risk of silvering. Avoid moving the decal excessively to avoid tearing the film and washing off the adhesive. Do not let the decal float off of the backing paper. Get the decal in position over the model, and use a wet paint brush to slide decals off the paper and move around for final positioning. Adjust the decal position, apply more water or Micro Set if the decal is hard to move around. Once the decal is in position, let it dry on its own, do not touch it unless it is in the wrong position.

After the decals have dried, you can apply your decal solvent of choice, but avoid too strong liquids. Do not touch the decal until it is dry, as the ink is soft and will smear which will ruin the decal. Once the decal is dry, clean up any residue with a Q-tip (swab) soaked with water and mild dish detergent.

Some extra company title and emblem decals are included in the decal sheet for diorama building or other purposes.

Credit

The instruction and decal artworks have been done by Mika Jernfors of Arctic Decals. Ruben Husberg has financed the production and handles distribution.

www.Indecals.com

NORDIC DECALS GROUP

